








- 1 Driven gear
- 2 Pinion shaft
- 5 Driving gear
- 6 Driving pinion
- 7 Output shaft
- 8 Key
- 9 Shaft seal
- 10 Shaft seal
- 11 Circlip
- 12 Output shaft bearing
- 13 NILOsring
- 14 Seal
- 15 Gearcase cover
- 16 Spacer
- 17 Vent plug
- 18 Seal
- 19 Socket head screw
- 20 Key
- 21 Spacer
- 22 Output shaft bearing
- 23 Supporting disc
- 24 Shim
- 25 Circlip
- 26 Flanged eye bolt
- 27 Bolt
- 28 Seal
- 29 Spacer
- 30 Gearbox cover
- 31 Pinion shaft bearing
- 32 Seal
- 33 Key
- 34 Drain plug
- 35 Seal
- 36 Spacer
- 37 Pinion shaft bearing
- 38 Pinion shaft bearing
- 39 Circlip
- 40 Locking cap
- 41 Shim
- 42 Supporting disc
- 43 Gear case
- 44 Circlip
- 47 Shim
- 49 Circlip
- 130 Shim
- 131 NILOsring
- 132 NILOsring




- 3 Driven gear
- 4 Pinion shaft
SK 63 - SK 103
- 5 Driving gear
- 6 Driving pinion
- 27 Fixing bolt
- 28 Seal
- 29 Spacer
- 30 Third reduction gearbox
- 34 Drain plug
- 35 Seal
- 44 Circlip
- 45 Ball bearing
- 46 Key
- 47 Shim
- 48 Ball bearing
- 49 Circlip
- 50 Supporting disc
- 51 Circlip
- 52 Circlip
- 53 Key
- 54 Circlip
- 55 Intermediate shaft, plain
- 56 Intermediate shaft, gearcut
- 57 Circlip
- 58 Circlip
- 59 Shim
- 60 Circlip
- 61 Circlip
- 62 Oil-plug
- 63 Seal
- 109 Shaft seal
- 112 Ball bearing
- 114 Intermediate flange
- 115 Spring washer
- 116 Bolt
- 117 Spring washer
- 118 Bolt
- 119 Intermediate shaft, plain
- 120 Intermediate shaft, gearcut
- 121 Bearing sleeve
- 124 Circlip
- 125 Circlip


General parts list



- 201 Driving gear
- 202 Pinion shaft
- 205 Driving gear
- 206 Driving pinion
- 207 Output shaft (Hollow shaft)
- 208 Key
- 209 Shaft seal
- 210 Shaft seal
- 211 Circlip
- 212 Shim
- 213 Ball bearing
- 214 Seal
- 215 Gear case cover
- 217 Vent plug
- 218 Seal
- 219 Socket head screw
- 220 Key
- 221 Circlip
- 222 Ball bearing
- 223 Locking cap
- 224 Washer
- 225 Washer
- 226 Socket head screw
- 227 Socket head screw
- 228 Seal
- 229 Supporting disc
- 230 Gearbox cover
- 231 Circlip
- 232 Seal
- 233 Key
- 234 Drain plug
- 235 Seal
- 236 Supporting disc
- 237 Pinion shaft bearing
- 238 Pinion shaft bearing
- 239 Circlip
- 240 Locking cap
- 241 Shim
- 242 Supporting disc
- 243 Gear case
- 250 Locking cap
- 254 Spacer






- 201 Driving gear
- 202 Pinion shaft
- 205 Driving gear
- 206 Driving pinion
- 207 Output shaft (Hollow shaft)
- 208 Key
- 209 Shaft seal
- 210 Shaft seal
- 211 Circlip
- 212 Shim
- 213 Ball bearing
- 214 Seal
- 215 Gear case cover
- 217 Vent plug
- 218 Seal
- 219 Socket head screw
- 220 Key
- 221 Circlip
- 222 Ball bearing
- 223 Locking cap
- 224 Washer
- 225 Washer
- 226 Socket head screw
- 227 Socket head screw
- 228 Seal
- 229 Supporting disc
- 230 Gearbox cover
- 231 Circlip
- 232 Seal
- 233 Key
- 234 Drain plug
- 235 Seal
- 236 Supporting disc
- 237 Pinion shaft bearing
- 238 Pinion shaft bearing
- 239 Circlip
- 240 Locking cap
- 241 Shim
- 242 Supporting disc
- 243 Gear case
- 250 Locking cap
- 254 Spacer



- 5 Driving gear
- 6 Driving pinion
- 27 Fixing bolt
- 28 Seal
- 29 Spacer
- 30 Third reduction gearbox
- 45 Ball bearing
- 46 Key
- 48 Ball bearing
- 52 Circlip
- 53 Key
- 54 Circlip
- 55 Intermediate shaft, plain
- 56 Intermediate shaft, gearcut
- 57 Circlip
- 58 Circlip
- 59 Shim
- 60 Circlip
- 61 Circlip
- 62 Oil-plug
- 63 Seal




- 203 Driving gear
- 204 Pinion shaft
SK 6382 - SK 9382
- 205 Driving gear
- 207 Output shaft (Hollow shaft)
- 208 Key
- 223 Locking cap
- 229 Supporting disc
- 234 Drain plug
- 235 Seal
- 244 Circlip
- 245 Ball bearing
- 246 Key
- 247 Shim
- 248 Ball bearing
- 249 Supporting disc
- 250 Locking cap
- 254 Spacer








SK 92072



- 703 Bevel gearset
- 705 Input gear
- 706 Input pinion
- 707 Output shaft
- 708 Key
- 710 Shaft seal
- 711 Circlip
- 712 Shim
- 713 Taper roller bearing
- 714 Gasket
- 715 Gear case cover
- 716 Spacer
- 719 Socket head screw
- 720 Key
- 721 Circlip
- 722 Taper roller bearing
- 723 Sealing plug
- 724 Fixing element
- 741 Shim
- 742 Supporting disc
- 743 Gear case
- 744 Flange
- 745 Taper roller bearing
- 746 Key
- 747 Shim
- 748 Taper roller bearing
- 749 Grooved pin
- 751 Shrink disc connector
- 752 Rubber buffer
- 753 Socket head screw
- 754 Cover
- 755 Socket head screw
- 766 Circlip
- 767 Hexagon screw




SK 92172 - SK 92772



- 703 Bevel gearset
- 705 Input gear
- 706 Input pinion
- 707 Output shaft
- 708 Key
- 709 Shaft seal
- 710 Shaft seal
- 711 Circlip
- 712 Shim
- 713 Taper roller bearing
- 714 Gasket
- 715 Gear case cover
- 716 Spacer
- 719 Socket head screw
- 720 Key
- 721 Circlip
- 722 Taper roller bearing
- 723 Sealing plug
- 724 Fixing element
- 728 Gasket
- 730 Gearbox conver
- 731 Circlip
- 732 Gasket
- 739 Circlip
- 741 Shim
- 742 Supporting disc
- 743 Gear case
- 744 Flange
- 745 Taper roller bearing
- 746 Key
- 747 Shim
- 748 Taper roller bearing
- 749 Grooved pin
- 751 Shrink disc connector
- 752 Torque arm
- 753 Socket head screw
- 754 Cover
- 755 Socket head screw
- 765 Bearing shim
- 766 Tab washer
- 767 Socket head screw
- 769 Hexagon screw
- 775 Supporting disc




SK 9012.1 - SK 9096.1 Foot mounted



- 701 Output gear
- 702 Output pinion shaft
- 703 Bevel gearset
- 705 Driving gear
- 706 Driving pinion
- 707 Hollow shaft
- 709 Shaft seal
- 710 Shaft seal
- 711 Circlip
- 712 Shim
- 713 Taper roller bearing
- 714 Gasket
- 715 Gear case cover
- 716 Spacer
- 717 Vent screw
- 718 Seal
- 719 Socket head screw
- 720 Key
- 721 Circlip
- 722 Taper roller bearing
- 723 Locking Cap
- 24 Washer
- 725 Spring washer
- 726 Socket head screw
- 729 Supporting disc
- 731 Circlip
- 732 Gasket
- 733 Key
- 734 Drain plug
- 735 Seal
- 737 Taper roller bearing
- 738 Taper roller bearing
- 739 Circlip
- 740 Sealing plug
- 741 Shim
- 742 Supporting disc
- 743 Gear case
- 745 Taper roller bearing
- 746 Key
- 747 Shim
- 748 Taper roller bearing
- 750 Sealing plug
- 751 Shrink disc connector
- 752 Torque arm
- 753 Socket head screw
- 755 Rubber buffer
- 756 Flanged eye bolt
- 765 Slotted round nut
- 766 Tab washer
- 770 Backstop
- 773 Key
- 774 Circlip
- 775 Supporting disc




SK 9012.1 - SK 9096.1 Flange mounted



- 701 Output gear
- 702 Output pinion shaft
- 703 Bevel gearset
- 705 Input gear
- 706 Input pinion
- 707 Output shaft
- 708 Key
- 709 Shaft seal
- 710 Shaft seal
- 711 Circlip
- 712 Shim
- 713 Taper roller bearing
- 714 Gasket
- 715 Gear case cover
- 716 Spacer
- 717 Vent screw
- 718 Seal
- 719 Socket head screw
- 720 Key
- 721 Circlip
- 722 Taper roller bearing
- 723 Sealing plug
- 729 Supporting disc
- 731 Circlip
- 732 Gasket
- 733 Key
- 734 Drain plug
- 735 Seal
- 737 Taper roller bearing
- 738 Taper roller bearing
- 739 Circlip
- 740 Sealing plug
- 741 Shim
- 742 Supporting disc
- 743 Gear case
- 744 Flange
- 745 Taper roller bearing
- 746 Key
- 747 Shim
- 748 Taper roller bearing
- 750 Sealing plug
- 753 Socket head screw
- 756 Flanged eye bolt
- 765 Slotted round nut
- 766 Tab washer
- 770 Backstop
- 773 Key
- 774 Circlip
- 775 Supporting dis



SK 9012.1 - SK 9096.1AZ Shaft mounted



- 701 Output gear
- 702 Output pinion shaft
- 703 Bevel gearset
- 705 Driving gear
- 706 Driving pinion
- 707 Hollow shaft
- 709 Shaft seal
- 710 Shaft seal
- 711 Circlip
- 712 Shim
- 713 Taper roller bearing
- 714 Gasket
- 715 Gear case cover
- 716 Spacer
- 717 Vent screw
- 718 Seal
- 719 Socket head screw
- 720 Key
- 721 Circlip
- 722 Taper roller bearing
- 724 Washer
- 725 Spring washer
- 726 Socket head screw
- 729 Supporting disc
- 731 Circlip
- 732 Gasket
- 733 Key
- 734 Drain plug
- 735 Seal
- 737 Taper roller bearing
- 738 Taper roller bearing
- 739 Circlip
- 740 Sealing plug
- 741 Shim
- 742 Supporting disc
- 743 Gear case
- 745 Taper roller bearing
- 746 Key
- 747 Shim
- 748 Taper roller bearing
- 750 Sealing plug
- 751 Shrink disc connector
- 752 Torque arm
- 753 Socket head screw
- 755 Rubber buffer
- 756 Flanged eye bolt
- 765 Slotted round nut
- 766 Tab washer
- 770 Backstop
- 773 Key
- 774 Circlip
- 775 Supporting discs




SK 9013.1 - SK 9053.1

Foot mounted

Flange mounted VF

Shaft mounted AZ




- 5 Input gear
- 6 Input pinion
- 27 Bolt
- 28 Gasket
- 29 Supporting disc
- 30 Third reduction gearcase
- 45 Ball bearing
- 46 Key
- 48 Ball bearing
- 52 Circlip
- 53 Key
- 54 Circlip
- 55 Intermediate shaft, plain
- 56 Intermediate shaft, gearcut
- 57 Circlip
- 58 Circlip
- 59 Shim
- 60 Circlip
- 61 Circlip
- 62 Plug
- 63 Seal

SK 9072.1/32 - SK 9096.1/63

Foot mounted

Flange mounted VF



Shaft mounted AZ



- 109 Shaft seal
- 112 Ball bearing
- 114 Intermediate flange
- 115 Spring washer
- 116 Bolt
- 117 Spring washer
- 118 Bolt
- 119 Intermediate shaft, plain
- 119 Intermediate shaft, gearcut
- 121 Bearing sleeve
- 124 Circlip
- 125 Circlip





SK 02040 - SK 42125 Foot mounted





- 301 Worm wheel
- 302 Worm
- 305 Driving gear
- 306 Driving pinion
- 307 Output shaft
- 308 Key
- 309 Shaft seal
- 311 Circlip
- 312 Shim
- 313 Ball bearing
- 314 Seal
- 315 Gearcase cover
- 316 Drain plug
- 317 Vent screw
- 318 Seal
- 319 Socket head screw
- 320 Key
- 321 Locking cap
- 323 Flanged eye bolt
- 324 Gear case
- 325 Seal
- 328 Locking cap
- 329 Supporting disc
- 332 Circlip
- 333 Key
- 334 Circlip
- 335 Shim
- 336 Supporting disc
- 337 Angular ball bearing

SK 02040F - SK 42125F Flange mounted




SK 02040A - SK 42125A
Shaft mounted AZ



- | | |
|----|--------------------------------|
| 5 | Driving gear |
| 6 | Driving pinion |
| 27 | Bolt |
| 28 | Seal |
| 29 | Supporting disc |
| 30 | Third reduction gearcase |
| 45 | Ball bearing |
| 46 | Key |
| 48 | Ball bearing |
| 52 | Circlip |
| 53 | Key |
| 54 | Circlip |
| 55 | Intermediate shaft, plain |
| 56 | Intermediate shaft,
Gearcut |
| 57 | Circlip |
| 58 | Circlip |
| 59 | Shim |
| 60 | Circlip |
| 61 | Circlip |
| 62 | Plug |
| 63 | Seal |

- 301 Worm wheel
302 Worm
305 Driving gear
306 Driving pinion
307 Hollow shaft
309 Shaft seal
310 Shaft seal
311 Circlip
312 Shim
313 Ball bearing
314 Seal
315 Gearcase cover
316 Drain plug
317 Vent screw
318 Seal
319 Socket head screw
320 Key
322 Spacer
323 Flanged eye bolt
324 Gear case
325 Seal
328 Locking cap
329 Supporting disc
332 Circlip
333 Key
334 Circlip
335 Shim
336 Supporting disc
337 Angular ball bearing
340 Disc
341 Washer
342 Socket head screw



SK13050 - SK 43125
Worm Geared Motor,
triple reduction






SK 02040 - SK 42125
SK 13050 - SK 43125
Torque arm for
shaft mounted type

- 307 Output shaft, two sides
- 308 Key
- 309 Shaft seal
- 345 Torque arm
- 346 Socket head screw
- 347 Vibration dampening connector
- 350 Flange
- 354 Shrink disc connector






- 900 Rotor with shaft
- 902 End shield A
- 904 Shaft seal
- 905 Bearing A
- 906 Bearing shim
- 907 Terminal box frame
- 908 Terminal box cover
- 909 Terminal box frame gasket
- 910 Terminal box cover gasket
- 911 Terminal board
- 916 Stator case
- 918 Key
- 919 Circlip
- 920 Oil-plug
- 921 Seal
- 922 Spring washer
- 923 Hexagon screw
- 924 Collar screw
- 925 Hexagon nut
- 928 Hexagon screw
- 929 Bearing B
- 932 End shield B
- 933 Shaft seal
- 939 Fan
- 940 Fan cover
- 942 Circlip
- 947 Circlip
- 948 Circlip
- 949 Oval flat - head screw
- 950 Oval flat - head screw
- 952 Locking ring
- 955 Plug



SK 11E - SK 51E
SK 02 - SK 52
SK 03 - SK 63


SK 0182 NB - SK 1382 NB
SK 1282 - SK 5282
SK 2382 - SK 6382

SK 02040 - SK 42125
SK 13050 - SK 43125




- 64 Circlip
- 66 Key
- 67 Shaft seal
- 68 Washer
- 69 Hexagon screw
- 70 Circlip
- 71 Input shaft bearing
- 74 Ball bearing
- 75 Input shaft bearing
- 76 Hexagon screw
- 77 Washer
- 78 Key
- 79 Oil flinger
- 80 Bearing cover
- 81 Circlip
- 82 Shim
- 83 Input shaft, plain
- 84 Input shaft, gearcut
- 85 Drain plug
- 86 Seal
- 87 Input bearing housing
- 88 Shaft seal (Oil flinger)
- 139 Shim


SK 62 - SK 72 / SK 73 - SK 93
SK 6282 - SK 7282 / SK 7382 - SK 9382
SK 9072.1



SK 82 - SK 102 / SK 103
SK 8282 - SK 9282
SK 9082.1 - SK 9092.1




SK 10282 - SK 12382
SK 9096.1







IEC 63 - 112



IEC 132 - 180



IEC160 - 315



- 89 Circlip
- 90 Key
- 91 Shaft seal
- 92 Washer
- 93 Hexagon screw
- 94 Circlip
- 95 Clutch shaft bearing
- 97 Spacer
- 98 Circlip
- 99 Clutch shaft bearing
- 100 Circlip
- 101 Key
- 102 Key
- 103 Coupling
- 104 Coupling
- 105 Coupling
- 106 Set screw
- 107 Clutch shaft
- 108 Clutch pinion shaft
- 109 Seal
- 110 Oil-plug
- 111 IEC Adapter
- 112 Oil flinger
- 113 Shim
- 140 Shim
- 141 Shim
- 142 Shim
- 143 Socket head screw
- 144 Cover
- 145 Automatic lubricator
- 146 Adapter
- 147 Bearing cover
- 148 Hexagon screw
- 149 Washer
- 150 Shaft seal

Lieferbedingungen – Preise

Terms of delivery – Prices

Conditions de livraison – Prix



DRIVESYSTEMS

Lieferbedingungen

Unseren Lieferungen und Leistungen liegen unsere Geschäftsbedingungen zugrunde.

Änderungen der in diesem Katalog angegebenen technischen Daten sowie Maße und Gewichte bleiben vorbehalten.

Preise

Unsere Preise gelten ab Werk, ausschließlich Verpackung, zuzüglich der gesetzlich vorgeschriebenen Mehrwertsteuer.

Soweit der Lieferer nach der Verpackungsordnung verpflichtet ist,

die zum Transport verwendete Verpackung zurückzunehmen, trägt der Besteller die Kosten für den Rücktransport.

Preisänderungen bleiben vorbehalten. Der Berechnung werden jeweils die am Tage der Lieferung gültigen Preise zugrunde gelegt.



DRIVESYSTEMS

Terms of delivery

Our supplies and services are based on our terms of business.

Amendments of technical data as well as of measurements and weights specified in this catalogue are reserved.

Prices

Our prices are to be understood ex works, excl. packing, plus the value-added tax prescribed by law.

Packing will not be taken back.

Price alterations are reserved. Invoices will be issued on the basis of those prices applicable on the date of supply.



DRIVESYSTEMS

Conditions de livraison

Nos fournitures et services sont basés sur nos conditions générales de vente.

Sous réserve de modifications des données techniques ainsi que des dimensions et des poids, indiqués au présent catalogue.

Prix

Nos prix s'entendent départ usine, hors taxes, emballage non compris et perdu.

Prix sans engagement.


La facturation aura lieu au cours du jour.

Notizen Notes Notes



Notizen Notes Notes





Mat. Nr. 6000099.4710

Getriebebau NORD

DRIVESYSTEMS

D-22934 Bargteheide/Hamburg · P.O.BOX 1262 · Rudolf-Diesel-Str. 1
Fon +49 45 32 4 01-0 · Fax +49 45 32 4 01 2 53 · www.nord.com